

1410 North Hilton • Boise, Idaho 83706-1255 • (208) 373-0502

Dirk Kempthome, Governor C. Stephen Alired, Director

March 7, 2003

CERTIFIED MAIL No. 7099 3220 0009 1976 0985

Matthew Armstrong
Williams Gas Pipeline - West
P.O. Box 58900
Salt Lake City, UT 84158-0900

RE:

AIRs Facility Nos. 031-00027; 045-00004; 039-00022; 007-00008, Northwest Pipeline Corp.,

Burley; Caldwell; Mountain Home; Soda Springs

Final Tier I Operating Permit

Dear Mr. Armstrong:

The Department of Environmental Quality (Department) is issuing amended Tier I Operating Permit Nos. 031-00027; 045-00004; 039-00022; 007-00008 for the Burley, Caldwell, Mountain Home, and Soda Springs Compressor Stations in accordance with IDAPA 58.01.01.300 through 386, Rules for the Control of Air Pollution in Idaho (Rules).

The enclosed permits are effective immediately, summarize the applicable requirements for your facilities, and require an annual compliance certification for all emissions units.

The enclosed operating permits have been amended to change the name of the responsible official to Gordon M. Hamilton as you requested in your permit application, received December 2, 2002.

Modifications to and/or renewal of this operating permit shall be requested in a timely manner in accordance with the Rules.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to IDAPA 58.01.23 (Rules of Administrative Procedure Before the Board of Environmental Quality). A petition may be filed with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 83706-1255, within 35 days of the date of this decision. However, prior to filing a petition for a contested case, the Department encourages you to contact Bill Rogers or Mike Simon at (208) 373-0502, or wrogers@deq.state.id.us, or msimon@deq.state.id.us to address any questions or concerns you may have with the enclosed permits.

Sincerely,

Stephen E. West, Administrator

Air Quality Division

SEW\DH\sd

Project Nos. TI-020422; TI-020057; TI-020058; TI-020324

Enclosure

Northwest Pipeline Corp., Burley; Caldwell; Mountain Home; Soda Springs Final Tier I Operating Permit Page 2

G:\Air Quality\Stationary Source\SS Ltd\T1\NW Pipeline Amendments\T1 Final Permit Ltr - Name Changes.doc

Bc:

Sherry Davis, Air Quality Division
Tom Krinke, Boise Regional Office
Steve VanZandt, Twin Falls Regional Office
Tiffany Floyd, Pocatello Regional Office
Laurie Kral, EPA Region 10
Joan Lechtenberg (PC)
Pat Rayne
Bill Rogers
Mike Simon
Reading File (Ltr Only)



Air Quality TIER I OPERATING PERMIT

State of Idaho Department of Environmental Quality

PERMIT NO.: 007-00008

AQCR: 61

CLASS: A

SIC:

4922

ZONE: 12

UTM COORDINATE (km):

465.5, 4709.9

1. PERMITTEE

Northwest Pipeline Corp.; Soda Springs Compressor Station

2 PROJECT

Administrative Permit Amendment, Tier I Operating Permit

MAILING ADDRESS 295 Chipeta Way	CITY Salt Lake City	STATE UT	ZIP 84108	
4. FACILITY CONTACT Kirt Rhoads	TITLE Senior Environmental Specialist	TELEPHONE (801) 584-6763		
5. RESPONSIBLE OFFICIAL Gordon M. Hamilton	TITLE Director of Operations	TELEPHONE (801) 584-6763		
6. EXACT PLANT LOCATION Section 22, T-10-S, R-43-E		COUNTY Bear Lake	- A	

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS Natural gas transmission

8. PERMIT AUTHORITY

This Tier I operating permit is issued pursuant to Idaho Code §39-115 and the *Rules for the Control of Air Pollution in Idaho*, IDAPA 58.01.01.300-386. The permittee shall comply with the terms and conditions of this permit.

This permit incorporates all applicable terms and conditions of prior air quality permits issued by the Idaho Department of Environmental Quality for the permitted source, unless the permittee emits toxic pollutants subject to state-only requirements pursuant to IDAPA 58.01.01.210, and the permittee elects not to incorporate those terms and conditions into this operating permit.

The effective date of this permit is the date of signature by the Department on the cover page.

C. STEPHEN ALLRED, DIRECTOR

DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE ISSUED:

March 6, 2003

DATE EXPIRES:

January 3, 2004

Table of Contents

ACRO	NYMS, UNITS, AND CHEMICAL NOMENCLATURE	3
1.	FACILITY-WIDE CONDITIONS	4
2.	UNITS 1, 2, AND 3 CLARK TLA-6 AND UNIT 4 CLARK TCVA-16 RECIPROCATING ENGINES	11
3.	INSIGNIFICANT ACTIVITIES	12
4.	TIER I OPERATING PERMIT GENERAL PROVISIONS	13

Acronyms, Units, and Chemical Nomenclature

AQCR Air Quality Control Region

CAA Clean Air Act

CFR Code of Federal Regulations

CO carbon monoxide

Department Department of Environmental Quality

dscf dry standard cubic feet

EPA U.S. Environmental Protection Agency

gr grain (1 lb = 7,000 grains)

gr/dscf grains per dry standard cubic foot

IDAPA a numbering designation for all administrative rules in Idaho promulgated in accordance with the

Idaho Administrative Procedures Act

km kilometer

lb/hr pound per hour NO_X nitrogen oxides

NSPS New Source Performance Standards

PM particulate matter

PM₁₀ particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers

PTC permit to construct

SIC Standard Industrial Classification

SO₂ sulfur dioxide

T/yr tons per any consecutive 12-month period

U.S.C. United States Code

UTM Universal Transverse Mercator VOC volatile organic compound

Northwest Pipeline Corp. | Project No. T1-020324 Permittee: Soda Springs, Idaho

Location:

Date Issued:

March 6, 2003

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

FACILITY-WIDE CONDITIONS 1.

The following table contains a summary of requirements that apply generally to emissions units at the facility.

Table 1.1 SUMMARY OF REQUIREMENTS

Permit Condition	Parameter	Permit Limit/Standard Summers	Applicables, 22 Reculrancents Retires	Menitoring and Record-sceping of the Reculifornesis and
1.1	Fugitive dust	Reasonable control	IDAPA 58.01.01.651	1.2, 1.3, 1.4, 1.11
1.5	Odors	Reasonable control	IDAPA 58.01.01.775-776	1.6, 1.11
1.7	Visible emissions	20% opacity for no more than 3 minutes in any 60- minute period	IDAPA 58.01.01.625	1.8, 1.11
1.9	Excess emissions	Compliance with IDAPA 58.01.01.130-136	IDAPA 58.01.01.130-136	1.9-1.9.5, 1.11
1.12	Open burning	Compliance with IDAPA 58.01.01.600-616	IDAPA 58.01.01.600-616	1.11
1.13	Renovation and demolition	Compliance with 40 CFR 61, Subpart M	40 CFR 61, Subpart M	1.11
1.14	Chemical accident prevention provisions	Compliance with 40 CFR 68	40 CFR 68	1.11
1,15	Air quality standards	EPA reference test methods	IDAPA 58.01.01.157	1.11, 1.16
1.16	Criteria air pollutants, opacity	Compliance testing	IDAPA 58.01.01.157	1.11, 1.15
1.17	Recycling and emissions reductions	Compliance with 40 CFR 82, Subpart F	40 CFR 82, Subpart F	1.11

Fugitive Emissions

1.1 All reasonable precautions shall be taken to prevent particulate matter from becoming airborne in accordance with IDAPA 58.01.01.650-651.

[IDAPA 58.01.01.650-651, 5/1/94]

The permittee shall monitor and record the frequency and the method(s) used (i.e., water, chemical dust 1.2 suppressants, etc.) to reasonably control fugitive emissions.

[IDAPA 58.01.01.322.06, 07, 5/1/94]

1.3 The permittee shall maintain records of all fugitive dust complaints received. The permittee shall take appropriate corrective action as expeditiously as practicable after a valid complaint is received. The records shall include, at a minimum, the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

[IDAPA 58.01.01.322.06, 07, 5/1/94]

Permittee: Northwest Pipeline Corp. Project No. T1-020324 Date Issued: March 6, 2003
Location: Soda Springs, Idaho Date Expires: January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

1.4 The permittee shall conduct a quarterly facility-wide fugitive emission inspection of potential sources of fugitive emissions during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each quarterly fugitive emission inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittee's assessment of the conditions existing at the time fugitive emissions are present (if observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken.

[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]

Odors

1.5 No person shall allow, suffer, cause, or permit the emission of odorous gases, liquids, or solids to the atmosphere in such quantities as to cause air pollution.

[IDAPA 58.01.01.775-776, 5/1/94]

The permittee shall maintain records of all odor complaints received. If the complaint has merit, the permittee shall take appropriate corrective action as expeditiously as practicable. The records shall include, at a minimum, the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

[IDAPA 58.01.01.322.06, 07 (state-only), 5/1/94]

Visible Emissions

1.7 No person shall discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which is greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, nitrogen oxides, and/or chlorine gas are the only reason(s) for the failure of the emission to comply with the requirements of this section.

[IDAPA 58.01.01.625, 5/1/94]

The permittee shall conduct a quarterly facility-wide visible emission inspection of potential sources of visible emissions, during daylight hours and under normal operating conditions. If any visible emissions are present from any point of emission the permittee shall take appropriate corrective action as expeditiously as practicable. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in its annual compliance certification and in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each quarterly visible emission inspection. The records shall include, at a minimum, the date of each inspection and a description of the following: the permittee's assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken.

[IDAPA 58.01.01.322.06, 07, 5/1/94]

Permittee:

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued:

March 6, 2003

Soda Springs, Idaho Location:

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Excess Emissions

- 1.9 The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions. The provisions of IDAPA 58.01.01.130-136 shall govern in the event of conflicts between the subsections of Permit Condition 1.9 and the regulations of IDAPA 58.01.01.130-136.
- The person responsible for or in charge of a facility during an excess emissions event shall, with all 1.9.1 practicable speed, initiate and complete appropriate and reasonable action to correct the conditions causing such excess emissions event, to reduce the frequency of occurrence of such events, to minimize the amount by which the emission standard is exceeded, and shall, as provided below or upon request of the Department, submit a full report of such occurrence including a statement of all known causes and of the scheduling and nature of the actions to be taken.

[IDAPA 58.01.01.132, 4/5/00]

In all cases where startup, shutdown, or scheduled maintenance of any equipment or emission unit is 1.9.2 expected to result or results in an excess emissions event, the owner or operator of the facility or emissions unit generating the excess emissions shall demonstrate compliance with IDAPA 58.01.01.133.01(a) through (d), including, but not limited to:

IDAPA 58.01.01.133, 4/5/001

A prohibition of any scheduled startup, shutdown, or maintenance resulting in excess emissions shall occur during any period in which an Atmospheric Stagnation Advisory and/or a Wood Stove Curtailment Advisory has been declared by the Department

[IDAPA 58.01.01.133.01.a, 3/20/97]

Notifying the Department of the excess emissions event as soon as reasonably possible, but no later than two hours prior to the start of the excess emission event unless the owner or operator demonstrates to the Department's satisfaction that a shorter advanced notice was necessary.

[IDAPA 58.01.01.133.01.b, 4/5/00]

The owner or operator of a source of excess emissions shall report and record the information required pursuant to Permit Conditions 1.9.4 and 1.9.5 and IDAPA 58.01.01.135 and 136 for each excess emissions event due to startup, shutdown, or scheduled maintenance.

[IDAPA 58.01.01.133.01.c, 3/20/97]

1.9.3 In all cases where upset or breakdown of equipment or an emissions unit, or the initiation of safety measures. results or may result in an excess emissions event, the owner or operator of the facility or emissions unit generating the excess emissions shall demonstrate compliance with Permit Conditions 134.01(a) and (b) and the following:

[IDAPA 58.01.01.134, 4/5/00]

For all equipment or emissions units from which excess emissions result during upset or breakdown conditions, or for other situations that may necessitate the implementation of safety measures which cause excess emissions, the facility owner or operator shall comply with the following:

[IDAPA 58.01.01.134.02, 4/5/00]

The owner or operator shall immediately undertake all appropriate measures to reduce and, to the extent possible, eliminate excess emissions resulting from the event and to minimize the impact of such excess emissions on the ambient air quality and public health.

[IDAPA 58.01.01.134.02.a, 4/5/00]

Permittee: Northwest Pipeline Corp. | Project No. T1-020324 | Date Issued: March 6, 2003 | Location: Soda Springs, Idaho | Date Expires: January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

• The owner or operator shall notify the Department of any upset, breakdown, or safety event that results in excess emissions. Such notification shall identify the time, specific location, equipment or emissions unit involved, and (to the extent known) the cause(s) of the occurrence. The notification shall be given as soon as reasonably possible, but no later than 24 hours after the event, unless the owner or operator demonstrates to the Department's satisfaction that the longer reporting period was necessary.

[IDAPA 58.01.01.134.02.b, 4/5/00]

 The owner or operator shall report and record the information required pursuant to Permit Conditions 1.9.4 and 1.9.5 and IDAPA 58.01.01.135 and 136 for each excess emissions event caused by an upset, breakdown, or safety measure.

[IDAPA 58.01.01.134.02.c, 3/20/97]

During any period of excess emissions caused by upset, breakdown or operation under facility safety
measures, the Department may require the owner or operator to immediately reduce or cease operation
of the equipment or emissions unit causing the excess emissions until such time as the condition causing
the excess emissions has been corrected or brought under control. Such action by the Department shall
be taken upon consideration of the factors listed in IDAPA 58.01.01.134.03 and after consultation with the
facility owner or operator.

[IDAPA 58.01.01.134.03 4/5/00]

1.9.4 A written report for each excess emissions event shall be submitted to the Department by the owner or operator no later than 15 days after the beginning of such an event. Each report shall contain the information specified in IDAPA 58.01.01.135.02.

[IDAPA 58.01.01.135.01, 02, 3/20/97; IDAPA 58.01.01.135.03, 4/5/00]

1.9.5 The owner or operator shall maintain excess emissions records at the facility for the most recent five calendar year period. The excess emissions records shall be made available to the Department upon request. The excess emissions records shall include the information requested by Section 136.03(a) and (b) as summarized in the following:

[IDAPA 58.01.01.136.01, 02, 3/20/97; IDAPA 58.01.01.136.03, 4/5/00]

An excess emissions log book for each emissions unit or piece of equipment containing copies of all
reports that have been submitted to the Department pursuant to IDAPA 58.01.01.135 for the particular
emissions unit or equipment; and

[IDAPA 58.01.01.136.03.a, 4/5/00]

Copies of all startup, shutdown, and scheduled maintenance procedures and upset/breakdown/ safety
preventative maintenance plans which have been developed by the owner or operator in accordance with
IDAPA 58.01.01.133 and 134, and facility records as necessary to demonstrate compliance with such
procedures and plans.

[IDAPA 58.01.01.136.03.b, 3/20/97]

Permittee:

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued:

March 6, 2003

Soda Springs, Idaho Location:

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Reports and Certifications

All periodic reports and certifications required by this permit shall be submitted to the Department within 30 days of the end of each specified reporting period. Excess emissions reports and notifications shall be submitted in accordance with IDAPA 58.01.01.130-136. Reports, certifications, and notifications shall be submitted to:

> Air Quality Permit Compliance Department of Environmental Quality Pocatello Regional Office 224 South Arthur Pocatello, ID 83204

The periodic compliance certification required by General Provision 21 shall also be submitted within 30 days of the end of the specified reporting period to:

EPA Region 10 Air Operating Permits, OAQ-107 1200 Sixth Avenue Seattle, WA 98101

[IDAPA 58.01.01.322.08, 11, 4/5/00]

Monitoring and Recordkeeping

The permittee shall maintain sufficient recordkeeping to assure compliance with all of the terms and 1.11 conditions of this operating permit. Recording of monitoring information shall include, but not be limited to the following: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes but is not limited to all calibration and maintenance records, all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to Department representatives upon request.

[IDAPA 58.01.01.322.07, 5/1/94]

Open Burning

1.12 The facility shall comply with the requirements of IDAPA 58.01.01.600-616, Rules for Control of Open Burning.

[IDAPA 58.01.01.600-616, 4/5/00]

Renovation and Demolition

1.13 The permittee shall comply with all applicable portions of 40 CFR Part 61, Subpart M when conducting any renovation or demolition activities at the facility.

[40 CFR 61, Subpart M]

Northwest Pipeline Corp. Project No. T1-020324 Permittee:

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Regulated Substances for Accidental Release Prevention

- An owner or operator of a stationary source that has more than a threshold quantity of a regulated substance 1.14 in a process, as determined under 40 CFR 68.115, shall comply with the requirements of the Chemical Accident Prevention Provisions at 40 CFR 68 no later than the latest of the following dates:
 - Three years after the date on which a regulated substance present above a threshold quantity is first listed under 40 CFR 68.130
 - The date on which a regulated substance is first present above a threshold quantity in a process

[40 CFR 68.10 (a)]

Test Methods

1.15 If testing is required, the permittee shall use the test methods listed in Table 1.2 to measure the pollutant emissions:

Table 1.2: EPA REFERENCE TEST METHODS

Pollutant	Test Method*	Special Conditions
PM10	EPA Method 201.a and 202	
РМ	EPA Method 5	
NOx	EPA Method 7	
SO2	EPA Method 6	
CO	EPA Method 10	
VOC	EPA Method 25	
Opacity	EPA Method 9*	If NSPS source, IDAPA 58.01.01.625 and Method 9; otherwise, IDAPA 58.01.01.625 only.

^{*} Or Department-approved alternative in accordance with IDAPA 58.01.01.157

Compliance Testing

If testing is required, the permittee shall provide notice of intent to test to the Department at least 15 days 1.16 prior to the scheduled test or shorter time period as provided in a permit, order, consent decree or by Department approval. The Department may, at its option, have an observer present at any emissions tests conducted on a source. The Department requests that such testing not be performed on weekends or state holidays.

All testing shall be conducted in accordance with the procedures in IDAPA 58.01.01.157, Without prior Department approval, any alternative testing is conducted solely at the permittee's risk. If the permittee fails to obtain prior written approval by the Department for any testing deviations, the Department may determine that the testing does not satisfy the testing requirements. Therefore, prior to conducting any compliance test, the permittee is encouraged to submit in writing to the Department, at least 30 days in advance, the following for approval:

- The type of method to be used
- Any extenuating or unusual circumstances regarding the proposed tes
- The proposed schedule for conducting and reporting the test.

Permittee: Northwest Pipeline Corp. | Project No. T1-020324 | Date Issued: March 6, 2003 | Location: Soda Springs, Idaho | Date Expires: January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Within 45 days following the date in which a compliance test required by this permit is concluded, the permittee shall submit to the Department a compliance test report for the respective test. The compliance test report shall include all process operating data collected during the test period as well as the test results, raw test data and associated documentation, including any approved test protocol.

The proposed test date(s), test date rescheduling notice(s), compliance test report, and all other correspondence shall be sent to:

Air Quality Permit Compliance
Department of Environmental Quality
Pocatello Regional Office
224 South Arthur
Pocatello, ID 83204

Phone: (208) 236-6160

Fax: (208) 236-6168

[IDAPA 58.01.01.157, 4/5/00; IDAPA 58.01.01.322.06, 08.a, 09, 5/1/94]

Recycling and Emissions Reduction

1.17 The permittee shall comply with applicable standards for recycling and emissions reduction pursuant to 40 CFR 82, Subpart F, Recycling and Emissions Reduction.

[40 CFR 82, Subpart F]

Northwest Pipeline Corp. | Project No. T1-020324 Permittee:

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

UNITS 1, 2, AND 3 CLARK TLA-6 AND UNIT 4 CLARK TCVA-16 RECIPROCATING 2. **ENGINES**

The following requirements apply to each reciprocating engine:

Table 2.1: RECIPROCATING ENGINE REQUIREMENTS

	Permit : Condition	Parameter	Permit Limit/Standard Summary	Applicable Requirements (Reference	Monitoring and Record-keeping Regularments
	2.1	PM	0.015 gr/dscf at 3% O₂ for gas	IDAPA 58.01.01.677	2.2, 2.4, 2.5
***************************************	2.3	Visible emissions	20% opacity for no more than 3 minutes in any 60-minute period.	IDAPA 58.01.01.625	2.2, 2.4

2.1 Particulate matter emissions from each reciprocating engine shall not exceed 0.015 gr/dscf of effluent gas corrected to 3% oxygen by volume.

[IDAPA 58.01.01.677, 5/1/94]

2.2 The permittee shall monitor and record the fuel usage for each reciprocating engine continuously using a fuel flow meter. The fuel flow meter shall be calibrated once each year. The date and time of each calibration and any maintenance performed on the fuel meters shall also be recorded. Each calendar month, the permittee shall record total monthly fuel usage for each reciprocating engine.

[IDAPA 58.01.01.322.06, 07, 5/1/94]

- 2.3 Visible emissions from each reciprocating engine exhaust stack shall not exceed 20% opacity for a period or periods aggregating more than three minutes in any 60-minute period according to IDAPA 58.01.01.625. IDAPA 58.01.01.625, 4/5/001
- 2.4 Only natural gas shall be burned in the reciprocating engines.

[IDAPA 58.01.01.322.01, 3/19/99]

2.5 At least once during the permit term, the permittee shall conduct a performance test on one of the reciprocating engines to demonstrate compliance with the grain-loading emissions standard in Permit Condition 2.1. Emissions testing shall be conducting in accordance with the test methods and procedures in IDAPA 58.01.01.157 and Permit Conditions 1.15 and 1.16. A different reciprocating engine shall be tested for each required performance test.

[IDAPA 58.01.01.322.09, 5/1/94]

Northwest Pipeline Corp. | Project No. T1-020324 Permittee:

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

INSIGNIFICANT ACTIVITIES 3.

Activities and emission units identified as insignificant under IDAPA 58.01.01.317.01(b) are required to be listed in the Tier I operating permit to qualify for a permit shield.

Table 3.1: EMISSION UNITS

Emission Unit Description	Insignificant Activities IDAPA Citation / Section 317.01(b)(IV)
Hot Water Heater	5
Back-up Generator	5
Space Heaters	5 .
Natural Gas Pipeline and Fuel System	30

3.1 There are no monitoring, recordkeeping, or reporting requirements for insignificant emission units or activities beyond those required in the Facility-wide Permit Conditions.

[IDAPA 58.01.01.322.06, 5/1/94]

Permittee: Northwest Pipeline Cor

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued:

March 6, 2003

Location: Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

4. TIER I OPERATING PERMIT GENERAL PROVISIONS

General Compliance

 The permittee shall comply with all conditions of this permit. Any permit noncompliance constitutes a violation and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or for denial of a permit renewal application.

[IDAPA 58.01.01.322.15.a, 5/1/94; 40 CFR 70.6(a)(6)(i)]

- 2. It shall not be a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the terms and conditions of this permit.

 [IDAPA 58.01.01.322.15.b, 5/1/94; 40 CFR 70.6(a)(6)(ii)]
- Any permittee who fails to submit any relevant facts or who has submitted incorrect information in a permit
 application shall, upon becoming aware of such failure or incorrect submittal, promptly submit such
 supplementary facts or corrected information.

[IDAPA 58.01.01.315.01, 5/1/94; 40 CFR 70.5(b)]

Reopening

4. This permit may be revised, reopened, revoked and reissued, or terminated for cause. Cause for reopening exists under any of the circumstances listed in IDAPA 58.01.01.386. Proceedings to reopen and reissue a permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists. Such reopening shall be made as expeditiously as practicable in accordance with IDAPA 58.01.01.360 through 369.

[IDAPA 58.01.01.322.15.c, 5/1/94; IDAPA 58.01.01.386, 3/19/99; 40 CFR 70.7(f)(1) and (2); 40 CFR 70.6(a)(6)(iii)]

5. The filing of a request by the permittee for a permit revision, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

[IDAPA 58.01.01.322.15.d, 5/1/94; 40 CFR 70.6(a)(6)(iii)]

Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege.

[IDAPA 58.01.01.322.15.e, 5/1/94; 40 CFR 70.6(a)(6)(iv)]

Information Requests

7. The permittee shall furnish all information requested by the Department, within a reasonable time, that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit.

[Idaho Code §39-108; IDAPA 58.01.01.122, 5/1/94; IDAPA 58.01.01.322.15.f, 4/5/00; 40 CFR 70.6(a)(6)(v)]

8. Upon request, the permittee shall furnish to the Department copies of records required to be kept by this permit. For information claimed to be confidential, the permittee may furnish such records along with a claim of confidentiality in accordance with Idaho Code §39-342A and applicable implementing regulations including IDAPA 58.01.01.128.

[IDAPA 58.01.01.322.15.g, 5/1/94; IDAPA 58.01.01.128, 4/5/00; 40 CFR 70.6(a)(6)(v)]

Permittee: Soda Springs, Idaho Location:

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued: **Date Expires:** March 6, 2003 January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Severability

The provisions of this permit are severable, and if any provision of this permit to any circumstance is held 9. invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

[IDAPA 58.01.01.322.15.h, 5/1/94; 40 CFR 70.6(a)(5)]

Changes Requiring Permit Revision or Notice

The permittee may not commence construction or modification of any stationary source, facility, major facility, 10. or major modification without first obtaining all necessary permits to construct or an approval under IDAPA 58.01.01.213, or complying with IDAPA 58.01.01.220 through 223. The permittee shall comply with IDAPA 58.01.01.380 through 386 as applicable.

> IIDAPA 58.01.01.200-223, 4/5/00; IDAPA 58.01.01.322.15.i and 380-386, 3/19/99; 40 CFR 70.4(b)(12), (14) and (15); 40 CFR 70.7(d) and (e)]

Changes that are not addressed or prohibited by the Tier I operating permit require a Tier I operating permit 11. revision if such changes are subject to any requirement under Title IV of the CAA, 42 U.S.C. Section 7651 through 7651c, or are modifications under Title I of the CAA, 42 U.S.C. Section 7401 through 7515. Administrative amendments (IDAPA 58.01.01.381), minor permit modifications (IDAPA 58.01.01. 383), and significant permit modifications (IDAPA 58.01.01.382) require a revision to the Tier I operating permit. Clean Air Act section 502(b)(10) changes are authorized in accordance with IDAPA 58.01.01.384. Off-permit changes and required notice are authorized in accordance with IDAPA 58.01.01.385.

> [IDAPA 58.01.01.381-385, 3/19/99; IDAPA 58.01.01.209.05, 5/1/94; 40 CFR 70.4(b)(14) and (15)]

Federal and State Enforceability

- Unless specifically identified as a "state-only" provision, all terms and conditions in this permit, including any 12. terms and conditions designed to limit a source's potential to emit, are enforceable: (i) by the Department in accordance with state law; and (ii) by the United States or any other person in accordance with federal law. [IDAPA 58.01.01.322.15.j, 5/1/94; 40 CFR 70.6(b)(1) and (2)]
- Provisions specifically identified as a "state-only" provision are enforceable only in accordance with state law. 13. "State-only" provisions are those that are not required under the Federal Clean Air Act or under any of its applicable requirements or those provisions adopted by the state prior to federal approval.

[Idaho Code §39-108; IDAPA 58.01.01.322.15.k, 3/23/98]

Inspection and Entry

- 14. Upon presentation of credentials, the permittee shall allow the Department or an authorized representative of the Department to do the following:
- 14.1 Enter upon the permittee's premises where a Tier I source is located or emissions related activity is conducted, or where records are kept under conditions of this permit:
- 14.2 Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit:
- 14.3 Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and

Permittee: Northwest Pipeline Co

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

14.4 As authorized by the Idaho Environmental Protection and Health Act, sample or monitor, at reasonable times, substances or parameters for the purpose of determining or ensuring compliance with this permit or applicable requirements.

[Idaho Code §39-108; IDAPA 58.01.01.322.15.i, 3/19/99; 40 CFR 70.6(c)(2)]

New Requirements During Permit Term

15. The permittee shall comply with applicable requirements that become effective during the permit term on a timely basis.

[IDAPA 58.01.01.322.10, 4/5/00; IDAPA 58.01.01.314.10.a.ii, 5/1/94; 40 CFR 70.6(c)(3) citing 70.5(c)(8]

Fees

16. The owner or operator of a Tier I source shall pay annual registration fees to the Department in accordance with IDAPA 58.01.01.525 through IDAPA 58.01.01.538.

[IDAPA 58.01.01.322.15.n, 5/1/94; 40 CFR 70.6(a)(7)]

Certification

17. All documents submitted to the Department shall be certified in accordance with IDAPA 58.01.01.123 and comply with IDAPA 58.01.01.124.

[IDAPA 58.01.01.322.15.o, 5/1/94; 40 CFR 70.6(a)(3)(iii)(A); 40 CFR 70.5(d)]

Renewal

- 18.1 The owner or operator of a Tier I source shall submit an application to the Department for a renewal of this permit at least 6 months before, but no earlier than 18 months before, the expiration date of this operating permit. To ensure that the term of the operating permit does not expire before the permit is renewed, the owner or operator is encouraged to submit a renewal application 9 months prior to the date of expiration.

 [IDAPA 58.01.01.313.03, 4/5/00; 40 CFR 70.5(a)(1)(iii)]
- 18.2 If a timely and complete application for a Tier I operating permit renewal is submitted, but the Department fails to issue or deny the renewal permit before the end of the term of this permit, then all the terms and conditions of this permit including any permit shield that may have been granted pursuant to IDAPA 58.01.01.325 shall remain in effect until the renewal permit has been issued or denied.

[IDAPA 58.01.01.322.15.p, 5/1/94; 40 CFR 70.7(b)]

Permit Shield

- 19. Compliance with the terms and conditions of the Tier I operating permit, including those applicable to all alternative operating scenarios and trading scenarios, shall be deemed compliance with any applicable requirements as of the date of permit issuance, provided that:
 - Such applicable requirements are included and are specifically identified in the Tier I operating permit; or
 - The Department has determined that other requirements specifically identified are not applicable and all
 of the criteria set forth in IDAPA 58.01.01.325.01(b) have been met.

Permittee:

Northwest Pipeline Corp. | Project No. T1-020324

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

Date Expires:

January 3, 2004

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

- The permit shield shall apply to permit revisions made in accordance with IDAPA 58.01.01.381.04 19.2 (administrative amendments incorporating the terms of a permit to construct), IDAPA 58.01.01.382.04 (significant modifications), and IDAPA 58.01.01.384.03 (trading under an emissions cap).
- 19.3 Nothing in this permit shall alter or affect the following:
- 19.3.1 Any administrative authority or judicial remedy available to prevent or terminate emergencies or imminent and substantial dangers;
- 19.3.2 The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance:
- 19.3.3 The applicable requirements of the acid rain program, consistent with 42 U.S.C. Section 7651(g)(a); and
- 19.3.4 The ability of EPA to obtain information from a source pursuant to Section 114 of the CAA; or the ability of the Department to obtain information from a source pursuant to Idaho Code §39-108 and IDAPA 58.01.01.122. [Idaho Code §39-108 and 112; IDAPA 58.01.01.122, 322.15.m, and 325, 5/1/94; IDAPA 58.01.01.381.04, 382.04, 383.05, 384.03, and 385.03, 3/19/99; 40 CFR 70.6(f)1

Compliance Schedule and Progress Reports

- For each applicable requirement for which the source is not in compliance, the permittee shall comply with 20.1 the compliance schedule incorporated in this permit.
- 20.2 For each applicable requirement that will become effective during the term of this permit and that provides a detailed compliance schedule, the permittee shall comply with such requirements in accordance with the detailed schedule.
- 20.3 For each applicable requirement that will become effective during the term of this permit that does not contain a more detailed schedule, the permittee shall meet such requirements on a timely basis.
- 20.4 For each applicable requirement with which the permittee is in compliance, the permittee shall continue to comply with such requirements.

[IDAPA 58.01.01.322.10, 4/5/00; IDAPA 58.01.01.314.9 and 10, 5/1/94; 40 CFR 70.6(c)(3) and (4)]

Periodic Compliance Certification

- 21. The permittee shall submit compliance certifications during the term of the permit for each emissions unit to the Department and the EPA as follows:
- 21.1 Compliance certifications for all emissions units shall be submitted annually beginning 12 months from the permit issuance date, or more frequently if specified by the underlying applicable requirement or elsewhere in this permit by the Department:
- 21.2 The compliance certification for each emissions unit shall address all of the terms and conditions contained in the Tier I operating permit that are applicable to such emissions unit including emissions limitations. standards, and work practices;
- 21.3 The compliance certification shall be in an itemized form providing the following information (provided that the identification of applicable information may cross-reference the permit or previous reports as applicable):

Northwest Pipeline Corp. | Project No. T1-020324 Permittee:

Date Issued:

March 6, 2003

Location:

Soda Springs, Idaho

January 3, 2004 **Date Expires:**

The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

- 21.3.1 The identification of each term or condition of the Tier I operating permit that is the basis of the certification:
- 21.3.2 The identification of the method(s) or other means used by the owner or operator for determining the compliance status with each term and condition during the certification period, and whether such methods or other means provide continuous or intermittent data. Such methods and other means shall include, at a minimum, the methods and means required by this Tier I operating permit. If necessary, the owner or. operator shall identify any other material information that must be included in the certification to comply with Section 113(c)(2) of the CAA which prohibits knowingly making a false certification or omitting material information:
- 21.3.3 The status of compliance with the terms and conditions of the permit for the period covered by the certification, based on the method or means designated in Paragraph 21.3.2 above. The certification shall identify each deviation and take it into account in the compliance certification. The certification shall also identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion or exceedance as defined under 40 CFR 64 occurred;
- 21,3.4 Such other facts as the Department may require to determine the compliance status of the source.
- All original compliance certifications shall be submitted to the Department and a copy of all compliance 21.4 certifications shall be submitted to the EPA.

IIDAPA 58.01.01.322.11, 5/1/94; 40 CFR 70.6(c)(5)(iii) as amended: 62 Fed. Reg. 54900 and 54946, 10/22/97; 40 CFR 70.6(c)(5)(iv)]

False Statements

22. No person shall knowingly make any false statement, representation, or certification in any form, notice, or report required under this permit, or any applicable rule or order in force pursuant thereto.

[IDAPA 58.01.01.125, 3/23/98]

No Tampering

23. No person shall knowingly render inaccurate any monitoring device or method required under this permit or any applicable rule or order in force pursuant thereto.

[IDAPA 58.01.01.126, 3/23/98]

Semiannual Monitoring Reports

24. In addition to all applicable reporting requirements identified in this permit, the permittee shall submit reports of any required monitoring at least every six months starting six months from the date of permit issuance. All instances of deviations from this operating permit's requirements must be clearly identified in the report. All required reports must be certified in accordance with IDAPA 58.01.01.123.

[IDAPA 58.01.01.322.15.q, 3/23/98; IDAPA 58.01.01.322.08.c, 4/5/00; 40 CFR 70.6(a)(3)(iii)]

Reporting Deviations and Excess Emissions

25. The permittee shall promptly report all deviations from permit requirements including upset conditions, their probable cause, and any corrective actions or preventive measures taken. For excess emissions, the report shall be made in accordance with IDAPA 58.01.01.130-136. For all other deviations, the report shall be made in accordance with IDAPA 58.01.01.322.08.c, unless otherwise specified in this permit.

[IDAPA 58.01.01.322.15.q, 3/23/98; IDAPA 58.01.01.135, 4/5/00; 40 CFR 70.6(a)(3)(iii)]

Northwest Pipeline Corp. | Project No. T1-020324 Permittee:

Date Issued:

March 6, 2003

Location: Soda Springs, Idaho **Date Expires:** January 3, 2004 The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.

Permit Revision Not Required

No permit revision shall be required under any approved economic incentives, marketable permits, emissions 26. trading, and other similar programs or processes for changes that are provided for in the permit.

[IDAPA 58.01.01.322.05.b, 4/5/00; 40 CFR 70.6(a)(8)]

Emergency

27. In accordance with IDAPA 58.01.01.332, an "emergency" as defined in IDAPA 58.01.01.008., constitutes an affirmative defense to an action brought for noncompliance with such technology-based emissions limitation if the conditions of IDAPA 58.01.01.332.02 are met.

[IDAPA 58.01.01.332.01, 3/19/99; 40 CFR 70.6(g)]